
THE PRODUCTS USED IN INOVASTA WATERPROOFING SYSYEM

ROOFPRIME

ROOFPRIME is a white and water based general purpose surface primer. Provides long-term warranty with INOVASTA's other products. It penetrates to concrete, wood, PVC, TPO, EPDM, bitumen, asphalt, ceramic, metal and glass surfaces and fills cracks completely and provides full adhesion. Thanks to a special powder inside the formula ROOFPRIME is resistant to heavy weather conditions.



JOINT FABRIC


JOINTFABRIC is an organic glass-fiber which has been made by special and strong carbon reinforced ropes.
JOINTFABRIC is designed for using with JOINTFILL for sealing and patching in both maintenance work and for new roof construction. JONITFABRIC gives an extra strength and flexibility to application.



THE PRODUCTS USED IN INOVASTA WATERPROOFING SYSYEM

JOINT FILL

JOINTFILL is a patching or filling material which can be produced in white, gray or any color. Provides complete protection on surfaces applied together with other waterproofing products of INOVASTA brand. Provides long-term warranty with INOVASTA's other products. Main areas of application, dilatation zones, joints, all joints, wall and parapet junction areas, edges and corners, cracks, bubbles, blistering, areas where water first finds its way. Provides extra flexibility when used with JOINTFABRIC in areas of pressure, tension, tear, separation and rupture. Prevents the formation of new fractures and cracks. Application can be done before or after the problem occurs. It is also useful to use the JOINTFABRIC in areas with high expansion. JOINTFILL provides excellent adhesion to all surfaces such as; concrete, metal, wood, glass, ceramic, etc. because the chemicals in it provide flexibility, superior adhesion and weather resistance.



ROOFCOAT

ROOFCOAT is a topcoat material that can be produced in off white, gray or any desired color. Provides complete protection on surfaces applied together with other waterproofing products of INOVASTA brand. Its main usage area is to make waterproofing and to extend the life of the surface by applying to the whole surface. Consists of acrylic binders, mineral powders, NISPOW and several separate substances.




THE PRODUCTS USED IN INOVASTA WATERPROOFING SYSYEM

TopCoat

TOPCOAT is an off-white water and mineral based top coat protective shield. Provides long-term warranty with INOVASTA's other products. ROOFPRIME should be used before TOPCOAT application on surfaces that do not have water problems, but if it is to be used after JOINTFIL or ROOFCOAT no primer needed.

It is designed to provide an energy efficient reflective coating that protects, beautifies and preserves old and new roofs, as well as hundreds of other surfaces that require protection from heat, solar radiation, rust and corrosion. Provides complete penetration and adhesion to concrete, wood, PVC, TPO, FPO, EPDM, bitumen, asphalt, ceramic, metal and glass surfaces when used with ROOFPRIME





A silicate based, transparent liquid insulation product by INOVASTA, an innovation as alternative to waterproofing applications, rendering water impermeability to the applied surfaces without forming a film layer on the surface and disturbing the appearance and texture. Fully adheres to the applied surface and remains stable for many years without any loss.

